





L1	10 mH/ 0.1 Ohm
L2	2.5 mH / 0.05 Ohm
C1	3x 100 uF/Elko 40 VAC
C2	33 uF/ Elko 23 VAC
R1	8.2 Ohm / 9 Watt
R2	4 Ohm / 9 Watt
LS1	SEAS 17 W REX 8 Ohm
LS2	SEAS 17 W REX 8 Ohm

tmr
elektroakustik

Datum: 8.5.90

Bez.: TMR 3 – Modul 1

Stromlaufplan u. Stückliste




C1	47 uF/MKP 250v
C2	100 uF/Elko 40vac
C3	10 uF /MKT 250v
C4	15 uF/MKT 250v
L1	0.6 mH/0.05 Ohm
L2	25 mH/1.12 Ohm
R1	8.2 Ohm/9W
R2	3.3 Ohm/5W
R3	8.2 Ohm/9W
LS1	SEAS MP12TMR/8



Datum: 8.5.90

Bez.: TMR 3 – Modul 2

Stromlaufplan u. Stückliste



C1	3.3 μ F/250V MKP
C2	15 μ F/63V Elko
L1	1 mH /1 Ohm
LS	LPG 25K160 8 Ohm



Datum: 18.9.90

Bez.: TMR 3 –Modul 4

Stromlaufplan u. Stückliste